

GUIDE

GDHF-WL01



Wuhan Guide Technology Co.,Ltd.

.....	1
.....	1
.....	1
.....	2
.....	2
.....	2
.....	2
.....	4
.....	4
.....	4

GDHF-WL01

.....	11
.....	11
.....	11
.....	11
.....	18
.....	18
.....	18
.....	20
LED	20
.....	22
GSM	23

D

GDHF-WL01

L

GDHF-WL01

GDHF-WL01

GDHF-WL01

GDHF-WL01

GDHF-WL01

GDHF-WL01

GDHF-WL01

LED


GSM

GSM

850/900/1800/1900 MHz 2G/3G

SIM

GDHF-WL01



1 GDHF-WL01

GDHF-WL01

HF300

GDHF-WL02

GSM

GSM

CAN

CAN

GSM

GSM

•

P28.36

5Hz

•

•

•

GPS

•


!

5

PC

GDHF-WL01

V n 1




A—
B—PC
C—
D—
E—

2

37kW

A—
B—
C—
D—PC
E—



3

37kW

C C C C C


•
•

c c

PE	
----	--

5E

TIA/EIA-568-B



24VDC J4 24V
IO COM +24V

J4



P

SIM

_A

_B

_C

SIM

SIM

SIM

P101.48 “ ”

24

SIM

11

P28.01 P28.03 11 3

4 4

13912345678

P28.01 139

P28.02 1234

P28.03 5678

SIM

13

P28.01 P28.03

11

13912345678

13

1061234567890

P28.06 — P28.23 6

11

3

4

4

13912345678

P28.06 139

P28.07 1234

P28.08 5678

P28.24 — P28.29 2

13

3

4 4 2

P28.24 — P28.35 2 13

1061234567890

P28.24 106

P28.25 1234

P28.26 5678

P28.27 90

P28.28 0 0

unLock Done.Some

Machine Offline!

3.

state

Lock(unLock) Exxx Wxxx

Lock unLock

Exxx Wxxx

000

4. GPS

gps

GPS:DDDMM.MMMW DDMM.MMMMS

D GPS M

W E S N

GPS

GPS:No Signal

GPS

LED

GDHF-WL01


4

LED


LED

GDHF-WL01


LED



→ GSM信号强度指示



C.00



4

mm

HF300



GSM

	850/900/1800/1900 MHz
	2 W 850/900 MHz
	1 W 1800/1900 MHz
	850/900MHz -108.5dBm
()	1800/1900MHz -108.5dBm
GPS	-158dBm
	-146dBm
	-155dBm
GPS	: 3m
	-35 ~ 75

Wuhan Guide Technology Co.,Ltd.

6

430223

86-027-87927230

shfw@gdetec.com

www.gdetec.com

400-0077-570